

## **RP-UB2801A**

### **1-P USB2.0 Fast Ethernet Print Server**

RP-UB2801A USB Print Server Simplify printing and enhance efficiency with this innovative device. Share a USB printer on your network without a PC connection. With SNMP support, remote printer management is a breeze. Access and configure the print server through the embedded web server or the Windows-based PSAdmin utility for easy setup. Compatible with protocols like IPP and DHCP-Client. Stay updated with firmware upgrades using TFTP. Upgrade your printing experience with the RP-UB2801A USB Print Server.

RP-UB2801A revolutionizes printing by simplifying processes and enhancing efficiency. Share a USB printer on your network without a PC connection. With SNMP support, remote printer management becomes effortless. Configure the print server through the embedded web server or the Windows-based PSAdmin utility. Compatible with essential protocols including IPP and DHCP-Client for seamless integration. Stay updated with firmware upgrades using TFTP. Upgrade your printing experience with the RP-UB2801A USB Print Server.

Simplify printing and enhance efficiency with the RP-UB2801A . Share a USB printer on your network without a PC connection. With SNMP support, remote printer management is seamless. Configure the print server through the embedded web server or the Windows-based PSAdmin utility. Compatible with protocols like IPP and DHCP-Client. Stay updated with firmware upgrades using TFTP. Upgrade your printing experience with the RP-UB2801A USB Print Server and enjoy the convenience it brings



## **Features**


- USB Printer Sharing: Share a USB printer on your network without a PC connection.
- Simplified Setup: Effortlessly configure the print server via the embedded web server or Windows-based PSAdmin utility.
- Remote Printer Management: Manage printers remotely using SNMP support.
- Warning Notice Sending: Receive alerts for printer issues through SNMP support.
- Embedded Web Server: Access and manage the print server through a web browser.
- Protocol Compatibility: Supports essential protocols like IPP and DHCP-Client.

- Easy Firmware Upgrades: Stay up-to-date with hassle-free firmware upgrades using TFTP.
- Flexible Setup Options: Choose from various setup methods for convenient configuration.
- Versatile OS Support: Compatible with Netware, Windows, Mac, and Linux systems.
- Streamline printing processes and improve overall efficiency

## Specifications

<b>Standards</b>	<ul style="list-style-type: none"> <li>• IEEE 802.3/802.3u</li> </ul>
<b>Interface</b>	<ul style="list-style-type: none"> <li>• 1* USB2.0 (high speed) standard compliant host controller</li> <li>• 1 *RJ-45 10/100Mbps, auto-sensing</li> </ul>
<b>Protocol Support</b>	<ul style="list-style-type: none"> <li>• TCP/IP, IPX, NetBEUI, AppleTalk, LPR, SMB (over IP), RawTCP 9101,9102,9103</li> </ul>
<b>Data Rate</b>	<ul style="list-style-type: none"> <li>• 10/100Mbps</li> </ul>
<b>Default IP Address</b>	<ul style="list-style-type: none"> <li>• 192.168.0.10 DHCP: OFF</li> </ul>
<b>Management</b>	<ul style="list-style-type: none"> <li>• Web Interface</li> <li>• Windows-based Setup Program</li> </ul>
<b>Software Upgradeable</b>	<ul style="list-style-type: none"> <li>• Web interface</li> <li>• Windows-based Setup Program</li> <li>• TFTP</li> </ul>
<b>LED indicators</b>	<ul style="list-style-type: none"> <li>• Power/Status: Orange</li> <li>• USB Link: Orange for USB1.1, Green for USB2.0</li> <li>• LAN Link: Yellow for 10Mbps, Green for 100Mbps</li> </ul>
<b>Environment</b>	<ul style="list-style-type: none"> <li>• Easy-to-use Setup Wizard</li> <li>• Internet Printing Protocol (IPP) Support</li> <li>• Windows Print Monitor Technology</li> <li>• DHCP (client) Support</li> <li>• SNMP &amp; HP Web JetAdmin Support</li> <li>• Email Alert</li> <li>• Print Job Control/Print Job Status to Print Job Status and Log</li> </ul>
<b>Operate System</b>	<ul style="list-style-type: none"> <li>• Microsoft Windows, Apple Mac, Unix/Linux, Novell NetWare</li> </ul>
<b>Reset Button</b>	<ul style="list-style-type: none"> <li>• Yes. (Reset, Load factory defaults, Self test page)</li> </ul>
<b>Power Adapter</b>	<ul style="list-style-type: none"> <li>• External Power Adapter DC5V, 2A</li> </ul>
<b>Environment</b>	<ul style="list-style-type: none"> <li>• Operating Temperature: 0°C~50°C</li> <li>• Operating Humidity: 0%~70%</li> </ul>
<b>Dimension</b>	<ul style="list-style-type: none"> <li>• 74 * 63 * 30 mm</li> </ul>
<b>Certifications</b>	<ul style="list-style-type: none"> <li>• FCC, CE</li> </ul>

## Application



## Ordering information

**RP-UB2801A** 1-P USB2.0 Fast Ethernet Print Server